









raproducts.com P. 800.298.4351 F. 866.882.9475



TABLE OF CONTENTS



NewHeights[™] Features

Bluetooth™ & Mobile App GyroSense Soft Collision Detection

Height Adjustable Tables

Elegante XT - Electric Height Adjustable Table Eficiente LT - Electric Height Adjustable Table Bonita ET - Electric Height Adjustable Table Levante - Counterbalance Height Adjustable Table Vuelta - Crank Height Adjustable Table Arriba - Gas Lift Height Adjustable Table Fixed Height Table

Height Adjustable Desks

Presidente - Electric Height Adjustable Desk SkateDesk - Gas Lift Adjustable Desk Hooligan - Teacher's Desk with Gas Lift Lectern

Height Adjustable Conference Tables

Elegante XT - Electric Height Adjustable Levante - Counterbalance Height Adjustable

Dividers

Acrylic Shields Privacy Screens

Accessories & Options

Joey 2.0 Hanging Pedestal Wire Management Table Options

Finishes

C rstyle

Training/Computer Tables & Desks

HV Series - Computer Workstations C-Series, Float, and Post Leg Tables Delta, Romeo, & Romeo Flip Tables Additional Options & Power

Training Tables

Delta & Delta Light

Flip Tables Romeo Flip

Finishes



Carightangle[®]

ergonomics

Dektop Converters

Hover™ Helium (Single & Dual Monitor) Hover™ Helium Junior (Single Monitor) Hover™ Helium Surface Hover™ Helium Surface XL

Monitor Arms

Hover™ Series 2 - Monitor Arms Hover™ E - Electric Monitor Arms Hover™ Gas - Monitor Arms (Single & Dual)

Keyboard Tray & Drawer Systems

Myriad[™] Myriad[™] Junior, 245E & Arm Options Keyboard Drawers Laptop / Notebook Trays & Drawers

Mounting Systems

CPU Holders

Specialty Items

Palm Supports, Mouse Trays, Create-A-Corner, Pencil Drawers, Chairs +

a healthcare

Point of Care VerSIT™ - Mobile Workstation

Height Adjustable Tables

Arriba - Gas Lift Height Adjustable Table

Wall Mount Workstations

Hover[™] Series WM - Wall Mount Workstation Hover[™] Series WM - Wall Mount Value System

Freight / Green / Sustainability



newheights NOW STANDARD WITH Bluetooth

Introducing NewHeights[™] Bluetooth[™] Technology

This Bluetooth[™] technology will allow NewHeights[™] Mobile App users to control and manage their NewHeights[™] standing workstation directly from their mobile device. Create voice commands that work with intelligent assistants, such as Siri and Google, for hands-free desk positioning.



As of July 2, 2020, app-compatible control boxes with Bluetooth[™] technology will come standard on all NewHeights[™] electric height adjustable desks and conference tables.

CONTROL YOUR STANDING DESK

This currently includes models in our NewHeights[™] Elegante, Eficiente, Bonita, and Presidente lines. Visit our website at raproducts.com/newheights/bluetooth-mobile-app.php for details on compatible workstations and our mobile app.



Upgrade your current NewHeights[™] workstation!

Please contact your RightAngle™ Rep, RightAngle™ Dealer, or our RightAngle™ Customer Service Team for guidance. You can reach Customer Service by calling 800.298.4351 or emailing orders@raproducts.com.



Conveniently control your NewHeights[™] Electric Height Adjustable Desk or table through the power of Bluetooth[™] technology.





Google play

GO HANDS-FREE WITH CUSTOMIZED



Integration with intelligent assistants, like Siri and Google, allows you to program your custom voice commands to control your desk.

"Hey Siri, STAND UP"

USE YOUR PHONE AS A REMOTE

Easily manage your standing workstation:

- Program 4 different height positions
- Add, change, or remove container stops (upper & lower)
- Choose between imperial or metric measurements
- Reset a standing workstation directly from the mobile app (if power is lost)
- Connect your mobile device and desk automatically
- Adjust Gyro sensitivity settings
- Pair with one or more workstations
- Customize the name of paired workstations
- Add customized voice commands for each programmed height position
- Receive notifications from Activity Assistant to remind you to stand up or sit down (customizable)
- Available on both Apple and Android devices!









newheights™ Soft Collision Detection

RightAngle Products is one of the **first manufacturers in the industry to feature the GyroSense**. The GyroSense stops the movement of the desk and reverses course before causing damage.

With this upgrade in technology, a **One Touch option** is also available on our 4-button programmable switch. The One Touch is **a touch-and-go feature** that automatically adjusts the table to its pre-programmed heights.

See the GyroSense in action at: raproducts.com/gyro

RightAngle Products

Phone: 800.298.4351 Website: raproducts.com







Features

- Standard 2-button switch
- Optional 4-button programmable switch with One Touch memory for programmed table height position and four gyro sensitivity settings
- Overload protection
- See the GyroSense in action at: raproducts.com/gyro



Soft Collision

A gyro senses angular velocity and changes in orientation and rotational motion. The GyroSense helps prevent adjustable tables from crushing forgotten items under your desk during a hard stop; such as a coffee cup, file cabinet, or an arm on a chair, and soft items, such as a tissue box.

In the image on the left, you see the three axes the GyroSense monitors during operation. If an impediment causes the table to rotate in one or more axis slightly, the control box stops the table from moving any further.

Overload Protection

Electrical overloads occur when amperage increases across a circuit or an electrical wire. If there is no overload protection available, overheating or damage occurs.

Overload relays protect the motor by monitoring current traveling to the motor. If the incoming current exceeds the designed amperage for a motor, the overload protection shuts it down before any damage occurs.

Technical Data

- Max output power: 300 watts
- Ratings: 100 to 115 volts, 50/60 Hz, 5.3 amps
- Motor Channels: 1 4
- Output voltage: 24 volts
- Output current total: 15 amps
- Standby power: 250 Milliwatts

The GyroSense technology is now a standard NewHeights™ feature on the:



Elegante XT



Eficiente LT





Bonita ET

Presidente



Height Adjustable Workstations with GyroSense 쯋



a



Bring your day to NewHeights[™] with our height adjustable workstations. Our sit-to-stand workstations increase circulation, comfort and productivity.











GyroSense Soft Collision Detection System with overload protection and One Touch Memory* (Elegante, Eficiente, Bonita)

Features



Attractive Anodized Finish, only available by using extruded aluminum (Elegante, Eficiente, Levante, Vuelta, Arriba, Fixed)



Wire Management Box Optional XWMB (all NewHeights)



2-Button Standard Switch (*Elegante, Eficiente, Bonita*)



4-Button Upgrade Programmable Switch with **One Touch Memory** for programmed table height position #54049 (*Elegante, Eficiente, Bonita*)



Joey Pedestal

Optional pedestal that attaches to your height adjustable desk XPES310BF (*Elegante, Eficiente, Bonita*)



Adjustable Glides (all NewHeights)



10 Year Warranty on support brackets, columns, and feet;
5 Year Warranty – gears and motors, electrical components, and worksurface. BIFMA Tested

*One Touch Memory available on 4-button upgrade programmable switch.



	Elegante XT	Eficiente LT	Bonita ET	Levante
Adjustment Method:	Electric	Electric	Electric	Counterbalance
Height Range:	24" - 51"	27" - 47"	27" - 47"	28" - 47"
Under Desk Clearance:	22.875" - 49.875"	25.875" - 45.875"	25.875" - 45.875" high	25.875" - 44.875"
Front to Back Clearance:	24" depth = 17" 30" depth = 20"	24" depth = 14" 30" depth = 17"	24" depth = 14" 30" depth = 17"	24" depth = 14" 30" depth = 17"
Lift Capacity:	Two columns - 325 pounds Three columns - 450 pounds	Two columns - 250 pounds Three columns - 350 pounds	Two columns - 250 pounds Three columns - 350 pounds	Two columns - 150 pounds
Height Adjustment Speed:	1.5 inches	1.5 inch per second	1.5 inch per second	1.4 inch per rotation
Integrated Wire Mgt:	Standard	Optional	Optional	Optional
Anti-Wobble Cross Support:	Optional for more stability	Standard	Standard	Standard
Other:	6-Outlet / 2 USB port power strip included (PSSM-6-2)		Recommend only the trackless keyboard arm system (TLF)	Hideaway Handle May be Mounted Left or Right Standard is Right Side



Vuelta Crank Height Adjustable

Crank units offer an affordable sit-to-stand option.

- Height Range: 27" 47" H.
- Lifting Capacity Base Only: 125 lbs. per column.
- Height Adjustment: six turns per inch.
- Available with worksurface or base only.
- Standard depth 24" and 30".
- Custom size worksurfaces available.

Arriba Gas Lift Height Adjustable

Easily glides to the preferred height, with the squeeze of a lever.

- Height Range: 27" 44" H.
- Lifting Capacity: up to 35 pounds.
- Available with casters, glides or plate base. May upgrade to Omega casters.
- Available with worksurface or base only.
- Bases available for 24" and 30" deep worksurfaces, up to 36" maximum width.
- Custom sizes available.



Fixed Height

Fixed height units are perfect when a specific height is needed.

- Standard Height: 29".
- Available in custom heights 22"- 52"H, (order in 1" increments).
- Available with worksurface or base only.
- Bases available for 24" and 30" deep worksurfaces.
- Custom sizes available.

Base Colors



Reference 🔁 Freight Program for Shipping Prices

Finishes

Laminate Surface Colors

Featuring eleven laminate colors with coordinating edge band options. High-pressure laminate and custom colors available.





Hardrock Maple (HM)



Driftwood (DW)** 🔷









Concrete













Cherry (CH)

Black Base (B) Cherry Top (CH)







Silver Base (S) Cherry Top (CH)



(Only Available on Standard 24" and 30" Configurations)

Top (HM)



Silver Base (S) Hardrock Maple Top (HM)

◆Includes 4EVERedge™ edge banding for straight line worksurfaces

Driftwood, Concrete Groovz, and, Merapi, Reclamation Maple have Graphite edge banding *Gray Matrix has Black edge banding

Galaxy White

(GW) **♦**

Silver (S)

Finish Options

Black (B)






Presidente Reception Sit to Stand









Classic elegance combined with modern sit-stand technology


- Electric base adjusts quickly and quietly with the gentle push of a button
- GyroSense control box with Soft Collision Detection
- Height adjustment: 1¹/₂ inches per second
- Travels 29-49"
- Lifts over 300 lbs.
- Three week lead time



Presidente Executive Sit to Stand









Classic elegance combined with modern sit-stand technology

- Electric base adjusts quickly and quietly with the gentle push of a button
- GyroSense control box with Soft Collision Detection
- Height adjustment: 11/2 inches per second
- Travels 29-49"
- Lifts over 300 lbs.
- Optional modesty panel
- Three week lead time





SkateDesk





SkateDesk by RightAngle™ is a costefficient gas lift height adjustable table with the convenience of mobility and nested storage.

SkateDesk features a high-quality German gas cylinder with an easy-to-operate release paddle and large travel range of 17" to work with both students and adults (27"- 44" H).

Shown with Juliet Nesting Stacking Chair FCFTBBB



SkateDesk Features

- Height Range: 27"- 44" H to accommodate students and adults
- Gas lift adjustable featuring high quality German gas cylinder
- Easy-to-operate release paddle
- Static weight capacity: Up to 35 lbs total with locked gas cylinder
- Comes standard with 2 skate wheels and 2 levelers
- Comes standard with 2 additional levelers for stationary option (remove skate wheels)
- Option to upgrade to 4 caster wheels (2 locking - adds approx. 2" to height)
- Available with worksurface or base only
- Thermally fused high density two-sided laminate (high pressure or HPL avail.)
- Available in all RightAngle™ finishes
- Standard size worksurface is 20" x 30" rectangle with radius corners
- Can customize worksurface shape and size up to 24" x 36"





Finish Options

Timeless black or silver finish available on all bases. Thermally-fused 11/8" laminate worksurface available in eleven colors, which can be paired with any of our seven edgeband colors (including five 4EVERedge[™] seamless options).





Edgeband Colors

PVC FlexEdge®

Stromboli

* Graphite

* White

a rightangle

HOOLIGAN

A TEACHER'S DESK AS FLEXIBLE AND ADAPTIVE AS YOU ARE.

0

The **Hooligan** by RightAngle[™] is a fully mobile, all-in-one desking system that includes a fixedheight workspace and an attached height adjustable podium.



EASY MOBILITY

Large, durable, lockable casters make moving the Hooligan quick & simple.

MAXIMIZED STABILITY

Dual cross supports maintain the sturdiness and durability for the product's lifespan.

SIMPLE OPERATION

Adjust the podium from sitting to standing height in seconds with the easy-to-use gas lift mechanism.

IMPROVE ENGAGEMENT & COLLABORATION

Hooligan's versatility provides more opportunities to connect with students, colleagues, etc.

Elegante XT Conference Table

a newheights

Electric Height Adjustable Conference Table

Contemporary Style

Our unique shape offers a clean, edgy look with an attractive anodized finish, only achieved by using extruded aluminum.

Innovative Design

Intelligent programmable controls available, height range from 24" to 48". Available in a variety of shapes and sizes.

Built to Last

Manufactured in the USA with a commitment to quality, long term reliability and environment friendly.

See Spec Book for complete specifications: raproducts.com/price









- Height Range: 24" 48" H.
- Lifting Capacity Base Only: 162.5 pounds per column.
- Height Adjustment: 1.5 inches per second.
- Control Box Configurable stop conditions (overtemperature, overcurrent, timeout, limit switches).
- Conference table adjusts quickly and quietly.
- Variety of shapes and sizes available.
- Available with worksurface or base only.
- 6-Outlet / 2 USB port power strip included (PSSM-6-2).
- Standard programmable switch with 4-column Elegante XT conference tables.

See Spec Book for complete specifications: raproducts.com/price

FCATWBG Alpha Swivel White

Finishes

Laminate Surface Colors

Featuring eleven laminate colors with coordinating edge band options. High-pressure laminate and custom colors available.





Stromboli (ST)

Black (BK)

◆Includes 4EVERedge™ edge banding for straight line worksurfaces



Mahogany (MY)



Cherry (CH)

Base Colors

FCATBBB

Alpha Swivel Black





Hardrock Maple (HM)



Driftwood (DW)** 🔷





**Driftwood, Concrete Groovz, and, Merapi, Reclamation Maple have Graphite edge banding







Black Base (B)

Cherry Top (CH)

OuickShin

Finish Options (Only Available on Standard 24" and 30" Configurations)



Silver Base (S) Cherry Top (CH)

Silver (S)

Black Base (B)



Hardrock Maple Top (HM)

Silver Base (S) Hardrock Maple Top (HM)



Galaxy White (GW)♦









HSTVMNT TV / Monitor Arm

Levante Conference Table Green Solution Alternative

a newheights

Counterbalance Height Adjustable Conference Table

Contemporary Style

Our unique shape offers a clean, edgy look with an attractive anodized finish, only achieved by using extruded aluminum.

Fast Travel

Counterbalance design offering sit-to-stand travel in seconds with **no power required.** Operates easily even under load.

Built to Last

Manufactured in the USA with a commitment to quality, long term reliability and environment friendly.

See Spec Book for complete specifications: raproducts.com/price



2014 Silver Award for Design Excellence Winner



Hideaway Handle













STAYSAFE with a rightangle

RightAngle™ Products is here to help adapt to the new normal. Our STAY**SAFE** bundle is a complete workspace solution that **promotes user wellness** and **adheres to social distancing and cleaning recommendations.**





·····

SOCIAL DISTANCE

This STAY**SAFE** bundle helps to uphold social distancing requirements. Users are provided at least 6' between each workstation.

Products include: NewHeights™ Bonita ET Mobile Tambour Cabinet (with worksurface)



BYE, BACTERIA!

We've eliminated the glue joints found on traditional edgebanding that captures bacteria, dirt and moisture.

Our **4EVERedge™** technology creates a permanent, seamless edge on every worksurface.



PHYSICAL BARRIERS

Acrylic Shields add a bacteria and moisture resistant barrier to reduce the risk of spreading germs.

Available in clear & frosted.

Optional Barriers: **Privacy Screens**



EASY TO CLEAN

Our STAY**SAFE** workstations can all be cleaned and disinfected without affecting color or quality.*

*when following recommended cleaning guidelines on our website

A contemporary, cost-efficient electric height adjustable desk with stunning finish options.

- **Built in the U.S.A.** using high quality components
- Control Box features:
 - Bluetooth[™] technology allowing NewHeights[™] Mobile App users to control and manage their desk from their mobile device
 - 2-Button Standard Switch or 4-Button Upgrade Programmable Switch with One Touch Memory
 - **GyroSense** Soft Collision Detection System with overload protection and One Touch Memory* *One Touch Memory available on 4-button upgrade switch

- Height Range: 27"-47" H
- Height Adjustment: 1.5 inches per second
- Total Lifting Capacity (Base Only):
 - Two columns 250 pounds
 - Three columns 350 pounds
- Anti-wobble cross support
- Available with worksurface or base only
- Standard depth 24" and 30"
- Mounting clearance (depth) for under desk accessories:
 - 24" workstation is 14"
 - 30" workstation is 17"



Storage and flexibility for under your standing desk.

- Lockable pencil and large drawer for standard hanging files or personal items.
- Attaches to your height adjustable desk.
- Full extension drawer slides.
- Pedestal size: 12 ¼"W x 14 7/8"D x 16 5/8" H
 - Top Drawer: 9 ½"W x 13 ¼"D x 2 ¼" H
 - Bottom Drawer: 10"W x 13"D x 10" H
- Mounting clearance: 12 ¼"W x 15"D
- Weight: 23 lbs. | Weight Capacity 30 lbs.

Mobile Tambour Cabinet •

Attractive mobile storage with accessibility & freedom.

- Lockable drawers and shelving unit with side pull door
- Cabinet size: 35 1/2"W x 19 5/8"D x 25 1/2" H
 - Box/box/file unit
 - Tambour door shelf unit: 17 1/2"W (inside) Can be placed on the right or left
- On casters for ease of mobility
- Optional rectangular worksurface to compliment your desk (19"x 35"x 19")







Adjustable Clamp

Cubicle Panel Mini

Mounting Bracket

Surface Mounting Bracket (with screws & 2-sided adhesive)



Cubicle Panel Mounting Bracket

Mounting Bracket Mounting Bracket



Free Standing

Cubicle Panel Adhesive Mounting Bracket

Acrylic Shields

Easy-to-install versitile barrier. Applicable with workstations, cubicles, conference tables, and more.

- Bacteria and moisture resistant. Requires less cleaning and maintenance. Easily disinfected without affecting quality (see cleaning guidelines on our website).
- Mar, fingerprint, and scratch resistant.
- 3/16" thick acrylic, available in Clear or Frosted
- Multiple standard sizes available to fit your needs:
 - Shields are all 23.2" tall (24" mounted height)
 - Fits worksurface depths of 24" or 30"
 - Fits worksurface widths of: 36", 42", 48", 60", 66" or 72"
- Custom sizes available contact Customer Service (sizes up to 23.2" tall and 97" wide; fee may apply)
- Easy installation will work with most worksurfaces
- Corner Support Clips are included for added stability
- Each shield requires a minimum of 2 mounting brackets (brackets purchased separately; 54" and wider require 3 brackets)



BEAUTIFUL. DURABLE. CLEANABLE.





traditional edgebanding, bacteria and dirt have no where to hide with 4EVERedge™ zero-joint edge!


4EVERedge™ Edgebanding

Tightangle[®] HAS IT **ALL**.

- State-of-the art hot air technology creates a permanent superior finish that is virtually invisible. For **rectanglular** worksurfaces.
- Hygienically clean. Can be washed with domestic cleaning agents.
- Seam-free edge offers increased aesthetic appeal and is resistant to solvents, dirt, heat and moisture.
- Eco-Friendly! Edge material is made of Polypropylene and is fully recyclable, halogen free, odorless, physiologically harmless and burns clean.
- Impervious to staining and higher UV resistance to fading.
- Features a precision edge for an optimum joint quality with maximum adhesion.

Worksurface Finishes

Edgeband Colors



Privacy Screens

Reduce ambient noise distractions while adding barrier protection to your workstation.

- Acoustic design elements to promote sound absorption (Noise Reduction Coefficient = 0.45^*)
- Tackable, impact resistant, bacteria resistant, and moisture resistant.
- All panels are 24" in total height and are available in five optimized widths: 24", 36", 48", 60", or 72"

- Screens are available in a chic, marblesque Light Gray or Dark Gray, with two mounting position options:
 - Mid Mount 11.5" above worksurface
 - High Mount 19.5" above worksurface
- Eco-Friendly!100% recyclable with NO Volatile Organic Compounds (VOC's)
- Made of thermoplastic polyester (PET or PETE), which is primarily made from recycled plastic bottles.



GS۵

Contract Holder



Reduce ambient noise distractions while creating a more personal workspace with RightAngle™ acoustic **Privacy Screens**.

Custom configured to meet your needs; our sustainable Privacy Screens can be made to accessorize nearly any training table or desk that RightAngle™ offers, as well as many competitor products.

Privacy Screen Features

- Acoustic design elements to promote sound absorption (Noise Reduction Coefficient = 0.45*)
- Tackable, impact resistant, bacteria resistant, and moisture resistant
- All panels are 24" in total height and are available in five optimized widths: 24", 36", 48", 60" or 72"
- Two marblesque color options offered, in **Light Grey** or **Dark Grey**, to accent your Black or Silver base with an industrial chic feel
- Brackets are mounted directly under the worksurface for a clean, professional look (without interference with workspace or Wire Management Boxes)
- Eco-Friendly!**100% recyclable** with NO Volatile Organic Compounds (VOC's)
- Made of thermoplastic polyester (PET or PETE), which is primarily made from recycled plastic bottles



Joey 2.0 Hanging Pedestal







Joey 2.0 Hanging Pedestal by RightAngle[™] - engineered to fit nearly any standing desk, regardless of brand.

Add convenient storage to your standing desk:

- Minimal mounting clearance to fit on all RightAngleTM AND most other manufacturer's standing desks
- Top cubby shelf can store papers, cell phone, etc.
- Lockable pencil and file drawer
- Safely store and charge your devices inside the drawers using cord access at the back of the unit
- Large file drawer for standard hanging files or personal items
- Full extension drawer slides
- Available in black or silver (feat. side drawer pulls)
- Upgrade available add thermally fused laminate drawer fronts to accent your worksurface (feat. front drawer pull handles)





Standard Finish Options

Two standard colors to match your base:



Standard metal finish features side drawer pulls.

Laminate Front Upgrade

Thermally-fused laminate drawer fronts available in nine colors, which can be paired with any of our seven edgeband colors (including five **4EVERedge™** seamless options). Drawer pull handles included with all laminate drawer front upgrades.

Code	Worksurface Color	1 3	bose a ped in bla a color codo at t	ck XPES311BFB ne end. Contact c			then add desired
BK	Black			ie enu. Contact c	ustonner service h		combinations.
CG	Concrete Groovz						(TT
СН	Cherry	HM	СН	MY	ВК	WN	ST
GW	Galaxy White	*	*				
HM	Hardrock Maple	Hardrock Maple	Cherry	Mahogany	Black	Walnut	Stromboli
LM	Reclamation Maple						
ME	Merapi	GW	CG	ME	LM	★ Includes 4EVE edgebanding (for	
MY	Mahogany					worksurfaces onl	5
ST	Stromboli	\bigstar	*	*	*		
WN	Walnut	White	Graphite	Graphite	Graphite		

Joey 2.0 Specifications

- Weight: 25 lbs
- Weight Capacity: 30 lbs (verify lifting capacity of your table)

Dimensions	Width	Depth	Height
Pedestal	12-1/4"	14-7/8"	19-7/8"
Top Shelf Cubby	10-3/4"	14-1/8"	2-1/8"
Top Drawer	9-5/8 "	13"	2-3/8"
Bottom Drawer	9-5/8 "	12-7/8"	10"
Mounting Clearance*	13-5/8"	8-3/8"	-
Rear Grommet Hole	2-5/8 "	-	1-1/4 "

*Designed with a notch at the back half of the cubby to allow for a universal fit (smaller mounting clearance)







Wire Management



Discreetly secures under your desk and collects your cables and cords in a single, tidy place.

- Six cable portals.
- Made from 20-gauge steel.
- Holds up to 25 pounds.
- Over seven inches of height and four inches in width.
- Plenty of room for all your cables, wires, and power supplies.
- Doubles as a modesty panel.



SEE THE DIFFERENCE

Available Colors:



Black



Contraction in the second seco






Table Options

C newheights



XUPS2T04

Caster Foot - Table # - C



Joey Pedestal - XPES310BF Available in black or silver



Low Profile Pedestal - XPEM500BBF Available in black or silver



Flex Wire Management - FCM490



Wire Management Box - XWMB



Pencil Drawer - 300PTB



CPU Holder - 202CPU



Hover Gas Monitor Arm single or dual in silver or white - HSGLSS



Hover Series 2 Monitor Arm - HS3221



Trackless FastAction Keyboard Arm - TLF





FINISH OPTIONS




Our thermally fused 1 ¼" high-density laminate worksurface is available in fourteen colors, which can be paired with any of our nine PVC Flexedge® edgeband colors (or five 4EVERedge[™] seamless options - indicated below).

Upcharge applies to **⑤** indicated finish option. Custom colors and high pressure laminate (HPL) available as special order. Contact our RightAngle™ Customer Service team for details.

Worksurface Finishes



Base Finishes





Standard RightAngle[™] Finishes

Worksurface Finish	Edgeband Finish	
Hardrock Maple (HM), Cherry (CH), Mahogany (MY), Black (BK), Galaxy White (GW), Walnut (WN), Stromboli (ST), Looks Likatre (LT)	Matching Color	
Driftwood (DW), Concrete Groovz (CG), Merapi (ME), Reclamation Maple (LM)	Graphite	
Gray Matrix (GM)	Black	
Marker Board (MB)	White	

If not otherwise specified, worksurface and edgeband finishes will be paired in the combinations listed above.

Training / Computer Tables





C-Series Table



With RightAngle™ Products, you'll find everything you need to furnish new and retrofit classrooms, libraries, meeting rooms and office space while working with a single source.

Delta



Training Tables

Optional add-ons* include locking access doors, casters, riser glides, CPU holders, and keyboard drawers.

*some restrictions apply based on workstation size

Delta View -Convertible Computer Lab

- Stowable Hover™ gas-assisted monitor lifts
- Single and double workstations available
- Standard width: 36" and 72"
- Standard height: 29"
- Available in 24" and 30" depth.House up to a 25" wide monitor
- Built-in wire management and grommet access



Integrated mouse and keyboard storage



Float Table

- 29" standard height
- Custom size worksurfaces available
- Available with 18", 24" or 30" D worksurface
- Adjustable glides
- Optional casters and modesty panel

Romeo Table

- 29" standard height
- Custom size worksurfaces available
- 24" or 30" standard depth worksurface
- Adjustable glides
- Optional casters and modesty panel

Post Leg

- 29" standard height
- Custom sizes available
- 18", 24" or 30" depth
- Adjustable glides
- Optional modesty panel





C-Series

- 24" D standard
- 18", 24", and 30" D available
- 84" and 96" width available special order
- Standard height on fixed bases is 29"
- Also available: custom sizes and shapes, low profile casters (raises table 11/4") and power options

Training Tables



Romeo Flip Table

- Nested tables require minimal storage footprint
- Standard worksurface options: 18", 24" and 30" D with 30", 36", 48", 60" and 72" W
- Custom size worksurfaces available
- Standard rubber bumpers cushion nested tables
- Built-in safety
- Easy to operate pull bar runs length of table
- Optional modesty panels and swing wire management available
- Weight Capacity: 200 pounds
- Locking casters

Panel





Features built-in

safety

latch to

prevent

. tipping



Delta

- Features integrated storage and wire management which allows for cords and clamps.
- Integrated storage can be locked (optional) for security.
- Low profile casters available (raises table approximately 2").



Convertible Computer Lab Delta View





MAXIMIZE YOUR TRAINING WORKSPACE WITH Cightangle delta view.



Delta View by RightAngle[™] provides a flexible multifunction furniture solution that quickly and easily transforms to meet the needs of today's learning environments.

With just a light push, the Hover[™] vertical gas-assisted monitor lift will quietly pop up your monitor and provide access to the built-in keyboard and mouse storage. Stow your monitor for maximized desk space and an unobstructed line-of-sight.

Locking access doors, casters, riser glides, CPU holders, and keyboard drawers are available as optional add-ons*.

*some restrictions apply based on workstation size



Delta View Features

- Quickly and quietly converts a computer station to a multi-purpose table
- Available in single and double units
 - Depth: 24" and 30"
 - Height: 29"
 - Standard Width: 36" and 72" (see website for additional widths)
 - Custom sizes available
- Stowable Hover[™] gas-assisted vertical monitor lift for unobstructed line-of-sight
 - Travel range of 17"
 - Easy to operate, manual pop up
 - Independently controlled

- Compatible with most VESA compliant flat panel monitors* up to 10 lbs and 25" wide (contact us for options if your monitor is wider)
- Integrated keyboard and mouse storage



- Built-in wire management and grommet access (power solutions available)
- Normality

 Normality

- Secure the desktop access door and front access panel with optional locks
- Raise the height of unit to meet ADA requirements by adding riser glides (adds ~2.5" to height)
- Add locking or non-locking caster wheels for mobility (adds ~1.875" to height)

*monitor(s) not included

Additional Computer STORAGE SOLUTIONS



Fixed Under Desk Adjustable Steel CPU Holder (supports up to 40 lbs)



202CPU W: 3-1/8" to 5-1/4" D: 14" H: 9" to 18-3/4"



Contact Customer Service to confirm compatibility with your configuration

Finish Options -

Delta View base finish is available in a timeless black (BBK) or silver (SFG). Thermally-fused 11/8" laminate worksurface available in fourteen colors. View all options at raproducts.com/finishes.php.







Additional Options

Pedestals





Vertical Wire Management Metal Insert (Optional with C-leg only) (Standard with C-leg only)

Power Supplies



Power Receptacle (Flush mount) PSRF



Power Receptacle-Surface Mount PSSM-6-2



Power Receptacle (Mini) PSRM



Wire Management

Channel (optional)

12" Power Jumper PSJ12 29" Power Jumper PSJ29 53" Power Jumper PSJ53 64" Power Jumper PSJ64 77" Power Jumper PSJ77



Optional Grommet

120" Power In-Feed PSIF120



Wireless & USB Pop-Up Charging Dock 54209

Gray Matrix (GM)



502MP Mobile Pedestal

Power Receptacle

(Large) PSRL

Special Order



XPEM500BBF Mobile Pedestal



Splitter Block PSSB




Flush Mount Receptacle/ Charging Dock w/2 Power Outlets 54211

Edgeband Colors

Worksurface Finishes

Thermally-fused 11/8" laminate worksurface available in eleven colors, which can be paired with any of our seven edgeband colors (including five 4EVERedge™ seamless options).**



* Includes 4EVERedge™ edgeband for rectangular worksurfaces

**Standard finishes: HM, ST, MY, CH, BK, & GW pairs with matching edgebands. DW, CG, ME, & LM pairs with Graphite edgebanding; GM pairs with Black edgebanding.

Reclamation

Maple (LM)



Black

(B)

Silver

(S)

Driftwood

(DW)

Concrete Groovz

(CG)

Merapi

(ME)

Contract Holder GS۵ GS-28F-0035M • SIN #33721

Training Tables Delta





Delta

Bring technology to your table

- Features integrated storage and wire management which allows for cords and clamps.
- Integrated storage can be locked (optional) for security.
- Durable 1 1/8" thermally-fused laminate with 3mm edge banding.
- Worksurface available in ten colors.
- Low profile casters available (raises table approximately 2").
- Height 29".





Finishes

Laminate Surface Colors

Featuring eleven laminate colors with coordinating edge band options. High-pressure laminate and custom colors available.



Driftwood, Concrete Groovz, and, Merapi, Reclamation Maple have Graphite edge banding *Gray Matrix has Black edge banding

You may also like...









Base Colors





Training Tables Delta Light



Delta Light

A budget-friendly solution ideal for classrooms, training rooms, and collaboration areas.

- Durable 1 1/8" thermally-fused laminate with 3mm edge banding.
- Low profile casters available (raises table approximately 2").
- Height 29".
- Steel embossed modesty panel.
- Compatible with Hover Series 2 monitor arms.
- Durable powder-coated steel base in silver or black finish.
- Worksurface: eleven standard thermally-fused options, high-pressure laminate and custom colors available.




Base Colors

Finishes

Laminate Surface Colors

Featuring eleven laminate colors with coordinating edge band options. High-pressure laminate and custom colors available.





Swivel Pencil Tray 300PTB



Power Receptacle PSSM



ex Wire Managemei FCM490







FCFTBBB Nesting Stacking Chair



Romeo Flip Table





RightAngle™ Romeo Flip tables are ideal for multi-use rooms that require a variety of furniture configurations.










Features

- Nested tables require minimal storage footprint
- Worksurface options:
 - Depths of **18**", **24**" and **30**"
 - Widths of 30", 36", 48", 60" and 72"
 - Custom sizes available
- Weight Capacity: 200 pounds
- Standard rubber bumpers to cushion and protect nestted tables
- Includes standard locking soft casters
- Easy to operate single-hand release





Worksurface Finishes

Thermally-fused 11/8" laminate worksurface available in eleven colors, which can be paired with any of our seven edgeband colors (including five **4EVERedge™** seamless options).











FINISH OPTIONS




Our thermally fused 1 ¼" high-density laminate worksurface is available in fourteen colors, which can be paired with any of our nine PVC Flexedge® edgeband colors (or five 4EVERedge[™] seamless options - indicated below).

Upcharge applies to **⑤** indicated finish option. Custom colors and high pressure laminate (HPL) available as special order. Contact our RightAngle™ Customer Service team for details.

Worksurface Finishes



Base Finishes





Standard RightAngle[™] Finishes

Worksurface Finish	Edgeband Finish
Hardrock Maple (HM), Cherry (CH), Mahogany (MY), Black (BK), Galaxy White (GW), Walnut (WN), Stromboli (ST), Looks Likatre (LT)	Matching Color
Driftwood (DW), Concrete Groovz (CG), Merapi (ME), Reclamation Maple (LM)	Graphite
Gray Matrix (GM)	Black
Marker Board (MB)	White

If not otherwise specified, worksurface and edgeband finishes will be paired in the combinations listed above.



Helium Desk Top Base Single Monitor

- Effortless sit-to-stand functionality with clean design
- Innovative gas/counterbalance mechanism which locks into position for stability
- Quickly and easily adapts to changing height adjustable preferences
- Column wire management included
- Height adjustable monitor bracket includes VESA mounting plate
- No clamp or grommet needed
- Heavy steel base for stability
- Lifting Capacity: up to 12 pounds
- Works in corner applications
- Travel Range: 16"
- Tilts/turns 90°
- Product Weight: 44 lbs.
- Five year warranty



Bottom base plate design is slightly different than pictured (see bottom view on back)








a















Helium Desk Top Base Dual Monitor - Silver/White

- Effortless sit-to-stand functionality with clean design
- Innovative gas/counterbalance mechanism which locks into position for stability
- Quickly and easily adapts to changing height adjustable preferences
- Column wire management included
- Height adjustable monitor bracket includes VESA mounting plate
- No clamp or grommet needed
- Heavy steel base for stability
- Maximum Lifting Capacity: 12-30 pounds
- Travel Range: 16"
- Monitor Rotates: 90°
- Product Weight: 47 lbs.
- Five year warranty



Bottom base plate design is slightly different than pictured (see bottom view on back)




43″ 20° from vertical

-20° from vertical

Side View Extended

ergonomics

Monitor holder is adjustable up or down on the column Maximum monitor width: 25"





Helium Jr. - Dual Monitor Mount

Transform your traditional desk into a sit-stand workstation.

- Easily adjust height and swivel to keep your workspace comfortable all day long.
- Adjustable keyboard and monitor arm which remains stable while typing.
- Clamp or grommet mount, maximum worksurface thickness 13/4".
- VESA mounting plate and column wire management included.
- Minimal footprint.
- Maximum monitor weight: 24 pounds
- Travel Range: 16". Monitor travel range: 5".
- Dual Monitor Maximum Width: 24" from left to right.

27 5'

15.25

• Five year warranty.



Calergonomics


Helium Surface

- Comes **completely assembled** and requires no tools for installation
- Compact footprint, easily fits onto a 24" deep desk
- Gas assisted height adjustment, quiet and infinite height positioning through 13.8"
- A large primary work surface can be extended 20" above the desk
- The primary work surface is large enough to fit two x 24" monitors, an Apple iMac[®], a monitor arm or a laptop
- Grommet mount opening on the primary work surface allows for cable management or mounting a monitor arm
- 20° (-10°/+10°) of keyboard ergonomic tilt
- Tested to 15,000 cycles
- Capacity: 35 lbs.
- Weight: 40 lbs.
- Two year warranty

Available Colors:



The Helium Surface is compliant with California's Safe Drinking Water & Toxic Enforcement Act of 1986 and does not contain any listed chemicals at concentrations that would require a product warning.



Calergonomics

Helium Surface XL

- Comes **completely assembled** and requires no tools for installation
- Compact footprint, easily fits onto a 24" deep desk
- Gas assisted height adjustment, quiet and infinite height positioning through 14.6"
- A large primary work surface can be extended 20" above the desk
- The primary work surface is 42" wide to accommodate **two 27" monitors**, monitor arms, an Apple iMac[®] or laptop with monitor
- Three primary work surface grommet holes, allow for cable management
- Keyboard surface adjusts with the primary work surface
- 20° (-10°/+10°) of keyboard ergonomic tilt
- Weight: 43 lbs.
- Capacity: 45 lbs.
- Tested to 15,000 cycles
- Two year warranty
- Lead time: 10 business days



Model: HHS2342B




Black



The Helium Surface XL is compliant with California's Safe Drinking Water & Toxic Enforcement Act of 1986 and does not contain any listed chemicals at concentrations that would require a product warning.







Code #EH0327 • ©2018 RightAngle Products • 800.298.4351 • raproducts.com

TAA Helium

Calergonomics

Helium Surface HHS2335BB-TAA

- Ships fully assembled
- Compact footprint, easily fits onto a 24" deep desk
- Gas assisted height adjustment, quiet and infinite height positioning through 13.8"
- A large primary work surface can be extended 20" above the desk
- The primary work surface is large enough to fit two x 24" monitors, an Apple iMac, a monitor arm or a laptop
- Grommet mount opening on the primary work surface allows for cable management or mounting a monitor arm
- Unique 20° (-10°/+10°) of keyboard ergonomic tilt
- Keyboard sits **flush** on worksurface
- Tested to 15,000 cycles
- Capacity: 35 lbs.
- Weight: 40 lbs.
- Two year warranty
















Stylish ergonomic design.

Built in internal cable management.

Quick-release mechanism for easy install.


Universal base may be used as clamp or grommet mount.









HOVER 2



Rail Mounted System







Hover Series 2 Features

- Post and spring systems available in multiple post height, (may order components separately).
- Swift movement with easy adjustment.
- Universal mounting system; no need to specify grommet or clamp.
- Wide angle and height range for comfortable viewing position.
- 360° pivot/105° tilt.
- Built-in internal cable management: cables route neatly under arm.
- Grommet hole dimensions: minimum ³/₄", maximum 3".
- Grommet adjusts to table-top thickness of 7/8" to $1 \frac{1}{2}"$.
- Clamp adjusts to table-top thickness up to 2".



Standard Monitor Bracket VESA MIS-D 75x75/100x100mm




Universal Mount



Apple LED Display Mount (Will not work with Apple All in one units) Model #52914



Quick-Release Wall Mount Bracket



- Weight-load: 22lbs./monitor.
- Quick release mechanism: easy install and removal of monitor and arm.
- Increase or decrease tension with built-in tool.
- Wall Mount: 240° swivel; all other models 360° swivel.
- Four piece 100mm x 200mm, adaptor available.
- Pole diameter is 1.295"



Built-in Tool Bracket/ Cable Management



Quick-Release Joint



Built-in Cable Management





XLH10518B - Laptop Platform





Hover Gas Monitor Arm, Light Duty, Single Screen


The Hover gas monitor arm incorporates a gas counterbalance spring to provide a greater support adjustment range, allowing heavier monitors to be supported on the arms, yet still being easy to move and adjust, coupled with superior esthetics and clean elegant lines, it is truly in a class of its own.





Features	Benefits
Comes standard with clamp and grommet mount to fit most desks	Allows for the attachment to all desking surfaces, and tool-less clamp allows for quick efficient set-up
Adjustable counterbalance cylinder provides smooth fingertip control for screen height adjustment	Provides 141/2" of counterbalanced height adjustment - 5 lbs. to 20 lbs. weight capacity
Double extension arms provide a maximum of 26.7" extension from rear of desk to VESA plate	For greater monitor focal depth adjustment on deep or corner workstations
Monitor mounting bracket with Quick Connect adaptor contains 75mm and 100mm hole patterns	VESA compliant to match most monitor mounting patterns
Arms fold back to a minimum of 4½" from rear of work surface to VESA Plate	Allows for screen adjustment to correct focal depth on short desking surfaces
Weight gauge incorporated into height adjustable arm	Saves time and guesswork when installing screens, especially for multiple arm installations
VESA plate rotates for portrait and landscape viewing with 180° rotation & -90° to + 45° tilt adjustment	Ample adjustment for optimal viewing of monitor
Adjustable rotation limiter restricts arm rotation to 180°	Prevents fixed arm from contacting walls or panels
Aluminum die cast construction	Provides greater stability and contains high recycled material content and is fully recyclable
Comes with all tools and mounting hardware	Quick and easy installation















Cable Management

Weight Gauge

Height Adjustable

Base Clamp or Grommet Mount

VESA Compliant

Cable Management





Hover Gas Monitor Arm, Heavy Duty, Dual Screen

The Hover gas monitor arm incorporates a **gas counterbalance spring** to provide a greater support adjustment range, allowing heavier monitors to be supported on the arms, yet still being easy to move and adjust, coupled with superior esthetics and clean elegant lines, it is truly in a class of its own.






HSGHDW H White

HSGHDS Silver

Features	Benefits	
Comes standard with clamp and grommet mount to fit most desks	Provides dual mounting options to fit various desk sizes, and and tool-less clamp allows for quick efficient set-up	
Adjustable counterbalance cylinder provides smooth fingertip control for screen height adjustment	Provides 14 ¹ ⁄ ₂ " of counterbalanced height adjustment - 6 lbs. to 28 lbs. weight capacity	
Double extension arms provide a maximum of 30.8" extension from rear of desk to VESA plate	For greater monitor focal depth adjustment on deep or corner workstations	
Monitor mounting bracket with Quick Connect adaptor contains 75mm and 100mm hole patterns	VESA compliant to match most monitor mounting patterns	
Arms fold back to a minimum of 8 3/8" from rear of work surface to VESA Plate	Allows for screen adjustment to correct focal depth on short desking surfaces	
Weight gauge incorporated into height adjustable arm	Saves time and guesswork when installing screens, especially for multiple arm installations	
VESA plate rotates for portrait and landscape viewing with 180° rotation & -90° to + 45° tilt adjustment	Ample adjustment for optimal viewing of monitor	
Support beam holds dual monitors with a maximum of 24" (diagonal) at fixed 25° booking angle	Allows for supporting large dual monitors at a comfortable viewing angles	
Adjustable rotation limiter restricts arm rotation to 180°	Prevents fixed arm from contacting walls or panels	
Aluminum die cast construction	Provides greater stability and contains high recycled material content and is fully recyclable	
Comes with all tools and mounting hardware	Quick and easy installation	

Calergonomics





Weight Gauge



Height Adjustable







VESA Compliant



Cable Management



Cable Management

HOVER Electric Monitor Arm

The **Hover E**, electric monitor arm, is a unique addition to the RightAngle[™] monitor arm family. With 140 lbs of lifting capacity, you can move 1 to 8 monitors with a single push of a button. Multi-user workstations now have the ability to adjust all monitors to an ergonomic height within seconds to fit each individual user.

This monitor arm system is the perfect ergonomic solution for healthcare Radiology (PACS) patient monitoring, security stations, stock trading desks, and anywhere multimonitor applications are used.



See the **Hover E** in action! youtube.com/**RightAngleProducts**





Ca ergonomics



Rail Features

- Rail widths are available in: 23", 35", 47", 59", 71", and 83"
- Includes mounting bracket (to attach to lifting column)
- Holds up to four 24" monitors per rail
- Includes Wire Management Channels (not pictured)

Lifting Column Features


- 15" electric height travel range
- Supports a 140-pound load capacity
- Choose clamp or grommet mount; adjustable to fit desks and work surfaces up to 2" thick
- Standard 2 button switch included (upgrade to 4 button switch w/memory available)
- Holds up to 2 rails
- AC 110-120V 50-60 Hz Power Supply
- Includes Wire Management Channels (not pictured)

Monitor Mounting Features

- Monitor Mounting Bracket, with Quick-Connect, contains 75mm and 100mm hole patterns to comply with VESA standards
- Customizable utilizing arm monitor extensions

©2019 RightAngle™ Products • 800.298.4351 • raproducts.com













FastAction Articulating Arm includes easy-to-use height and tilt adjustments with gauge.

Myriad[™] is the only product with a quick-connect hook and slot system.

One thumbscrew needed to lock the tray and articulating arm together.



Multiple slots for centered or off-center installation.



Hook and slot system provides a quick and strong connection.



Myriad's™ quick connect system cuts installation time up to 40%.







Myriad[™] Features



JR with Swivel Mouse



20.5 "

13.811"

11.25"

24.5.,

- Economical phenolic keyboard platform with swivel mouse.
- Swivel mouse platform may be mounted for left or right-hand use.
- Includes palm support 104KPS
- Mouse platform swivels completely under keyboard tray.
- Available with or without mouse.



- Economical phenolic keyboard platform for the keyboard and mouse.
- Includes mouse stops and non-skid strips for keyboard.
- Includes palm support 107KPS.





Myriad Jr[™] and 245E Keyboard Arm Options

JFP21/S



Myriad[™] Jr with FastAction Precision articulating arm **EFP21/S**

245E with FastAction Precision articulating arm



JFSS22/S Myriad[™] Jr with FastAction Sit/Stand articulating arm

EFSS22/S 245E with FastAction Sit/Stand articulating arm



JVS17/S Myriad™ Jr with Value Swivel articulating arm

EVS17/S 245E with Value Swivel articulating arm



JCFP17/S Myriad™ Jr with FastAction Compact articulating arm

ECFP17/S 245E with FastAction Compact articulating arm



JTLF/S Myriad™ Jr with Trackless FastAction arm

ETLF/S 245E with with Trackless FastAction arm



You may also like...



Myriad[™] with FastAction Precision articulating arm



200CPU Economy CPU Holder



FCATBBB Task Chair



GSA #GS-28F-0035M

Keyboard Drawers





2450CKM

Compact Keyboard & Mouse Drawer

- Universal all-metal, under desk drawer for the keyboard and mouse.
- Includes palm support.
- Ideal for limited space workstations.
- Lowers keyboard approximately 2-1/2".
- 24-1/2" W x 11-1/2" D.
- Install Dimensions: 25-1/2" W x 17-1/2" D.





321SDRG

Keyboard Drawer with NaturalFit Palm Support for Microsoft® Natural and Natural Elite Keyboards.

- Optional 2000EM swivel mouse.
- Lowers keyboard approximately 2-3/4".
- 21" W x 11-1/4" D.
- Install Dimensions: 22" W x 16-7/8" D.



320SD

Keyboard Tray

- All metal underdesk drawer for keyboard only.
- Palm support included.
- Ball bearing slides lock in open and closed positions.
- Optional 2000EM swivel mouse.
- Lowers keyboard approximately 2-1/2".
- 20" W x 11-1/4" D.
- Install Dimensions: 21" W x 16-7/8" D.





2000EM Swivel Mouse

Tray



Laptop / Notebook Trays & Drawers

DS500

Docking Station Drawer

- Keeps workspace clear
- Ball bearing slides lock in open and closed positions
- 16-1/2" W x 18-1/4" D x 3-1/4" to 4-3/4" H
- Install dimensions: 17-3/4" W x 22" D
- Includes cord management
- Custom sizes available

Calergonomics



415ND/NSD

415ND

Notebook Drawer

- All-metal under desk drawer for notebook/laptop
- Ball bearing slides lock in open and closed positions
- Lowers notebook/laptop approximately 4-1/2"
- Installation: 151/2" W x 221/4" D

417ND

Notebook Drawer (not shown)

- 17" W x 14-5/16" D
- Installation: 181/2" W x 221/4" D

415NR/NSR

415NR

Notebook Tray

- Strong steel construction
- Compatible with most articulating arms

417NR

Notebook Tray (not shown)

• 17" W x 14-5/16" D

Tray arm options sold separately.



FP23/S FastAction Precision



14-5/16

V\$23/\$ Value Swivel articulating arm



CFP21/S FastAction Compact articulating arm



- Helps reduce notebook computer theft
- 14 GA steel locking bar
- Keyed lock (may be keyed alike)
- Will fit notebook/laptop: 1-1/8" to 2-5/8" H x 14" W x 12-3/4" D

417NSR

NotebookSafe[™] Tray (not shown)

- 17" W x 12-3/4" D
- Will fit notebook/laptop: 1-1/8" to 2-5/8" H x 17" W x 12-3/4" D



FSS26/S FastAction Sit/Stand articulating arm



415NSD

NotebookSafe[™] Drawer

- Helps reduce theft of notebook computers • May be keyed alike
- Ball bearing slides lock in open and closed positions
- Accommodates laptops: 1-1/8" to 2-5/8" H x 14" W x 12-3/4" D
- Install Dimensions: 151/2" W x 221/4" D x 5-5/8" H

417NSD

NotebookSafe[™] Drawer (not shown)

- Accommodates laptops: 1-1/8" to 2-5/8" H x 17" W x 12-3/4" D
- Install Dimensions: 181/2" W x 221/4" D x 5-5/8" H

NotebookSafe[™] Tray













R-Style™ Workstation shown with 300CPU.



NewHeights[™] Workstation shown with 300CPU.



NewHeights[™] Workstation shown with 202CPU.



NewHeights[™] Workstation shown with 310CPU.







CPU Holders



300CPU Steel Adjustable CPU Holder Security-Ready works with standard padlock (not included), Swivels, *Supports up to 75 lbs.* W: 4" to 9-1/2" H: 11-1/2" to 21"



200CPU USA Economy CPU Holder Supports up to 60 lbs., Swivels, Fits most CPU's up to 64"in perimeter quickShip



301CPU Side Mount Adjustable CPU Holder *Supports up to 75 lbs.* W: 4" to 9-1/2" H: 11-1/2" to 21"



Side Mount Adjustable CPU Holder for NewHeights base Supports up to 75-100 lbs. W: 5-1/2" to 10" H: 6" to 24" D: 0" to 24"



Adjustable CPU Holder for use with NewHeights™ Elegante XT, Eficiente LT, Levante, Vuelta Supports up to 60 lbs. W: 4" to 8-1/2" H: 4-1/2" to 16-1/2"



202CPU Fixed Under Desk Adjustable Steel CPU Holder *Supports up to 40 lbs.* W: 3-1/8" to 5-1/4" *QuickShip* H: 9" to 18-3/4"



203CPU Fixed Under Desk Adjustable Steel CPU Holder *Supports up to 40 lbs.* W: 5" to 8" H: 9" to 18-3/4"



201CPU USA Mini Side Mount CPU Holder Supports up to 25 lbs. W: 3-3/16" to 5-3/8" D: 8" H: 7" Quickship



Supports up to 60 lbs.



101CPU Side Mount CPU Holder Supports up to 60 lbs. W: 14" D: 5-1/2" to 9-3/4" H: 15"



311CPU Gas Lift & VerSIT CPU Holder *Supports up to 60 lbs.* W: 4" to 9-1/2" H: 12" to 19"



400CPU USA Transport CPU Holder Supports up to 75 lbs. Accommodates CPUs 3-1/2" to 8-1/4" wide









RightAngle™ Ergonomic Products are designed to help eliminate physical stress by creating a more comfortable and productive work environment for office workers.





Hook & Slot Adapter Plate Adapts Myriad™ trays to most standard articulating arms.



Swivel Plate Can be added to RightAngle standard articulating arms to give advantage of dual swivel. **Must also order HSAP if*

attaching to a Myriad tray.

Palm Support QuickShip 101RGKPS **104KPS 106GKPS** Keyboard Palm Support Gel Keyboard Palm Support NaturalFit Palm Support Smooth leather-feel contoured palm Self skinning polyurethane. Self skinning polyurethane, ideal for support suitable for clean-room Microsoft® Natural & Natural Elite. environments. **103MPSMT 106GMPSMT** Mouse Palm Support for Gel Mouse Palm Support for Myriad[™] Mouse Tray Myriad[™] Mouse Tray Self skinning polyurethane. Smooth leather-feel contoured mouse palm support. **Power Receptacle Mouse Trays NuickS**



Accessories



PSSM-6-2





2000EM Swivel Mouse Phenolic mouse platform swivels completely under tray. May be mounted left or right, includes mouse fence. May be used with Myriad™ 320SD, 321SDRG, 415ND, 415NSD, 417ND, and 417NSD.

MMT

Myriad[™] Mouse Tray Steel construction, quick release for multiple left or right hand positions, includes cord clip. Available in black and graphite.



90° Corner Before

Any 90° corner can be transformed to a corner workstation. Works with most RightAngle articulating arms, contact Customer Service for details.

Create-A-Corner



*112CAC Shown with optional keyboard system • 18 GA steel

112CAC/1.00 = 12" W x 6" D x 1" H 112CAC/1.125 = 12" W x 6" D x 1-1/8" H 112CAC/1.25 = 12" W x 6" D x 1-1/4" H 112CAC/1.50 = 12" W x 6" D x 1-1/2" H

*Does not include keyboard tray.





118CAC/1.00 = 18" W x 12" D x 1" H 118CAC/1.125 = 18" W x 12" D x 1-1/8" H 118CAC/1.25 = 18" W x 12" D x 1-1/4" H 118CAC/1.50 = 18" W x 12" D x 1-1/2" H

*Does not include keyboard tray.



- (approximately 7" above and 6-1/2" below worksurface)

- Independent knob control for tilt positioning
- +15°/-15° tilt range







- Height adjustable with 13-1/2" range
- Supports worksurface widths: 28" 40" (Mechanism may be ordered to support to 60" W worksurface)
- Paddle for single-hand height adjustment



Alpha Task Chairs

- Tilt Tension Control: Recline rate adapts to weight of user
- Tilt Lock: Locks out tilt function
- Back Angle Adjustment: Four positions
- Synchro-Tilt: Back reclines in a preset ratio to seat
- Seat Height Adjustment: Seat height sets to desired position relative to floor
- Arm Height Adjustment: Arm adjusts up or down for proper ergonomic positioning while seated
- Adjustable lumbar support

Charlie Task Chair

- Breathable Mesh Black Backrest, Molded Foam Black Waterfall Seat and Fixed Black Arms, Soft Casters
- Available in Black (FCCTBBKF), Blue (FCCTBBLF) and Green (FCCTBGRF) seat cushion
- Adjustable lumbar support



Wall Mount Value System

Hover WM HWMV

- The entire system folds back to the wall to save space when not in use
- Wall mount system
- Foldable keyboard tray
- Height and tilt adjustment for screen and keyboard
- Torque adjust for tilt and arm height adjustment
- Optional inside wall track with cable management

You might also like...

201CPU

Mini Side Mount CPU Holder *Supports up to 25 lbs.* W: 3-3/16" to 5-3/8" D: 8" H: 7"



Flex Cable Management

FCM490

- Flexible cable management conceals and carries wires to floor, 51" length
- Designed to casually hang down from underside of worksurface and join up with floor outlet
- Removable links offer custom fit
- Low-profile weighted base sits on floor
- Single channel on each side help to keep wires neat
- Stylish black design







C healthcare

Point of Care Mobile Workstation with Built-in Seating





Features



Finishes

Worksurface	Options
-------------	---------

Worksurfa	ce Option	5				Locking S	urface Options	Base Colors
Hardrock Maple (HM)	Stromboli (ST)	Mahogany (MY)	Cherry (CH)	Driftwood (DW)	Concrete Groovz (CG)	Black (BK)	Fog Gray (FG)	Black (B)
Reclamation Maple (LM)	Merapi (ME)	Gray Matrix (GM)	Black (BK)	Galaxy White (GW)	Thermofoil Glacier White (TFW)	Thermofoil Glacier White (TFW)		Silver (S)
You may a	lso like							
Ű		R.						



Optional Security-ready Laptop Mount











Arriba

Calthcare

Gas Lift Height Adjustable Table

Contemporary Style

Our unique shape offers a clean, edgy look with an attractive anodized finish, only achieved by using extruded aluminum.

Fast Travel

Moves effortlessly from the sit-to-stand position and available in multiple sizes and shapes.

Built to Last

GS*i*

Manufactured in the USA with a commitment to quality, long term reliability and environment friendly.



More Gas Lift Table Options

Arriba -**Point of Care Mobile Workstation**

Increased Ability – Improved Productivity

- Height Range: 27" 44" H.
- Lifting Capacity: up to 35 pounds.
- Available with casters, glides, or plate base. May upgrade to Omega casters.
- Available with worksurface or base.
- Base Color: black or silver.
- Worksurface available in multiple sizes and colors.

See Spec Book for complete specifications: raproducts.com/price





Security-Ready Laptop Mount

Finishes

Laminate Surface Colors

Featuring eleven laminate colors with coordinating edge band options. High-pressure laminate and custom colors available.















(GM) *******

You may also like...

***Gray Matrix has Black edge banding



◆Includes 4EVERedge™ edge banding for straight line worksurfaces

Stromboli (ST)



Galaxy White

(GW)

Mahogany (MY)



Cherry (CH)

Reclamation Maple



QuickShin

Cherry Top (CH)





Top (HM)

(Only Available on Standard 24" and 30" Configurations)



Silver Base (S) Hardrock Maple Top (HM)





**Driftwood, Concrete Groovz, and, Merapi, Reclamation Maple have Graphite edge banding











Base Colors



Finish Options

C healthcare

HOVER WM Wall Mount Workstation









Extension arm: 21.5" Unit with extension arm totally extended: 60.5"

Intelligently Designed

Over 22" of height adjustment range to accommodate infinite sitting – or standing positions.

Hover WM Wall Mount Workstation HWM34W

Because of the counterbalance technology, there is a 9.5" range of independent monitor 'knob free' height adjustment; easily position the monitor in the best ergonomic position.

The monitor float tower has 180° of rotation. The monitor float tower and keyboard tray rotates independently of each other allowing for seamless information sharing or full-screen privacy mandated by HIPAA.

Installs in Minutes

Ships pre-assembled, resulting in minimal after-sale installation costs and reduced "downtime" for critical care areas. Includes an integrated wire management system for quick wire installation.


Built for Life


A five-year warranty supported by testing for over 20,000 cycles, which ensures consistent performance. Ergonomically designed to provide a comfortable and ergonomic experience with every interaction.




Available Color:













B
















24.58

Tray	Tray	Tray	Weight	Mounting	Wall
Width	Depth	Height	Capacity	Standard	Track
27″	10″	3.8″	5 lbs20 lbs.	VESA 75mm/100mm	34″





34.00







Hover WM





HOVER WM Wall Mount Value System

The entire system folds back to the wall to save space when not in use.

Features:

- Wall mount system
- Foldable keyboard tray
- Height and tilt adjustment for screen and keyboard
- Torque adjust for tilt and arm height adjustment
- Optional inside wall track with cable management





VESA Mounting Pattern		
	100 X 100 / 75 X 75 mm	
Material	Steel / Plastic / Aluminum	
Dimension (W*H*D)	37.64" x 36.46" x 13.11"	.314" ~ 8.5" 17.6"314" ~ 8.5"
Weight (Net)	20.42 lbs.	
Swivel (Hinge)	+/- 90°	
Tilt (Hinge)	-5 ~ 35°	
Tilt (Arm)	+ 65° / - 30°	
Tilt (Keyboard)	0 ~ 90°	
Support Weight (Stand)	4.4 ~ 17.7 lbs.	
Support Weight (Keyboard)	5.6 lbs.	37.63"
Support Flat Panel Size	≤ 24 <i>"</i>	14.5"-21.5 <u>*</u>
Rotate (Pivot)	360°	<u> 1.9"</u> ⁶ 0.
Extended Arm Provided	One	
Height Adjustment Range (Stand/Arm)	4.88" / 17.27"	
Max. Working Space	449*207mm for keyboard	17.27 (Hinge)
HWMVR34 Rail / Cable Management (34")	-	42" —

GSA #GS-28F-0035M